

Subject Index to Volume 49 (2011)

	No.	Page		No.	Page
4-hydroxy-trans-2-nonenal	6	746–754	Blood lead	2	235–241
8-iso-prostaglandin F _{2α}	6	746–754	Blood pressure	3	265–273
8-Nitroguanine (8-NO ₂ -G)	2	151–157		3	321–327
A			Blood ZPP	2	235–241
Accident rate	1	56–62	BMI	3	321–327
Acetaldehyde	3	396–399	Boatyard	1	37–46
Achievement probability	1	56–62	Brake repair	3	374–380
Actuating forces	4	523–533	C		
Acute low back pain	2	203–208	Cadmium	3	338–343
Advice	2	203–208	Caffeine	5	634–641
Aerodynamic diameter	4	492–500	Carbon analysis	6	726–734
Age groups	4	511–516	Carbon monoxide	3	393–395
Air distribution	6	735–745	Cardiovascular diseases	1	3–7
Airborne asbestos	3	374–380	Cardiovascular risk factors	3	311–320
Airborne bacteria	2	242–248	Career	4	434–442
Airborne fungi	2	242–248	Caulker	1	37–46
Air-conditioning	4	464–474	Centre of the lane	5	549–558
ALAU	2	235–241	Cerebral palsy	3	297–310
Alcohol	5	634–641	Cerebrovascular disease	1	3–7
Aldehyde dehydrogenase	3	396–399	Charcoal	3	393–395
Aldh2 knockout mice	3	396–399	Charged aerosol	1	107–115
ALOHA	2	209–214	Chest radiograph	5	626–633
Aluminized protective clothing	2	185–194	Childbearing age	2	255–261
Amalgam filling	2	249–254	China	2	158–165
Amphibole asbestos exposure	3	374–380	Chlorogenic acid	2	195–202
Annual trend	4	534–541	Chlorpyrifos	6	703–713
Anterior inclination of the pelvis	4	403–409	Chronobiology disorders	5	597–604
Anterior pelvic tilt taping	4	403–409	Classification	1	122–125
Arctic medicine	5	652–657		5	559–565
As ₂ O ₃	2	151–157		6	765–773
Asbestos	2	166–172	Clearance half time	1	47–55
Assembly operation	5	575–581	Clinical practice guidelines	6	774–778
Auto mechanic	3	374–380	Clothing weight	2	185–194
Automobile repair workers	5	642–651	Coalminer	5	652–657
Autonomic nervous system	5	614–618	Coffee intake	2	195–202
Autonomic nervous system activity	4	427–433	Cold	4	443–451
B			Comet assay	3	396–399
Bath	5	634–641	Comfort indices	1	95–106
Bench test method	6	735–745	Commercial kitchen	5	605–613
Biological marker	1	24–29	Common cold	1	116–121
Biological monitoring	1	126–132	Common mental disorder	4	452–463
	1	133–138	Communication	4	434–442
	2	195–202	Community-based intervention	3	311–320
Biomarker	5	658–662	Confirmatory factor analysis	6	686–695
Biopersistence	1	47–55	Conflicts	4	501–510
Blood	3	338–343	Construction workers	5	626–633
Blood flow	5	614–618	Controls	4	523–533

	No.	Page		No.	Page
Cooking	6	755–764	Fatigue	3	389–392
Cooking utensils	6	755–764	Female	2	255–261
Copenhagen Burnout Inventory	5	582–588	Female workers	2	228–234
Copier machines	1	107–115		4	464–474
Coping	6	677–685	Finger dexterity	4	443–451
Coping resource	2	158–165	Firefighters' protective clothing	2	185–194
Copy center	1	107–115	Floor lead loading	1	37–46
Corona discharge	1	107–115	Follow-up study	1	133–138
Covariance structure analysis	6	677–685	Food industry	6	755–764
CT scan	5	626–633	Formaldehyde	1	89–94
D			Frequency domain	4	427–433
Data quality	5	559–565	Fume	1	63–72
Dentist	5	663–671	Functional impairments of the lungs	1	89–94
Dentists	2	249–254	G		
Depression	2	173–184	Gas generation rate	3	393–395
Development	5	619–625	Gases	1	63–72
Diagnosis	2	166–172	Generic job stress questionnaire	1	116–121
Distortion in sketching	4	410–420	Genotoxicity	3	396–399
Dopamine	3	328–337	GFAAS	3	338–343
Driving behaviour	5	549–558	GHQ-12	4	452–463
Driving simulator study	5	549–558	GHS	5	559–565
Dust abatement	2	221–227	Glutaraldehyde	3	328–337
Dust lead content	1	37–46	Granuloma	2	215–220
E			Grinding	6	735–745
Eddy current	3	274–279	H		
Effort-reward imbalance	5	582–588	Hand-arm vibration syndrome (HAVS)	5	614–618
Electromagnetic field dosimetry	3	274–279	Hazardous chemicals	6	765–773
Electromyography	5	575–581	HbA1c	4	427–433
Elemental carbon	6	726–734	Head	4	482–491
Elementary and junior high school teachers	4	434–442	Head-space gas-chromatography	1	24–29
Emission	6	735–745	Health	2	209–214
Environment	2	209–214		5	652–657
Epidemiology	4	511–516	Health belief model	3	365–373
EPN	6	703–713	Health care workers	1	15–23
Estrous cycle	5	619–625	Health effects	5	559–565
Ethyl tertiary butyl ether	3	396–399	Health management	3	297–310
EU Regulations	6	765–773	Health-related quality of life (HRQOL)	2	158–165
Event-related potential	3	265–273	Heart rate	1	30–36
Exercise	3	321–327	Heart rate variability	4	427–433
	6	714–725		5	589–596
Exertion height	6	696–702	Heat strain	6	714–725
Exhaled breath condensate	6	746–754	Heat stress	5	605–613
Expert review	5	559–565	Help-seeking behavior	4	452–463
Exposure	1	63–72	Hippuric acid	2	195–202
	2	166–172	Histopathological effect	1	47–55
Exposure assessment	6	726–734	Holder for blood collection	1	24–29
Expression microarray	1	8–14	Horizontal distance	6	696–702
F			Human urine samples	1	126–132
Family member	1	37–46	I		
Fasting glucose	4	427–433	ICP-MS	3	338–343
			Illness	3	381–388

	No.	Page		No.	Page
Immune system	5	597–604	Magnetic fields	3	274–279
Inclinometry	4	482–491	Malondialdehyde	6	746–754
Indian operators	4	523–533	Manual performance	4	443–451
Indoor air pollutants	1	107–115	MarketScan	4	517–522
Industrial accident prevention	1	56–62	Mass chest x-ray examination	4	511–516
Infrared tympanic temperature	6	714–725	Mass screening	4	511–516
Inhalation study	3	344–352	Matrix	3	344–352
Intoxication symptoms	2	249–254	Measurement error	4	475–481
Intra-individual variability	4	475–481	Mediastinal lymph node	2	215–220
Iran	3	374–380	Medical doctor	5	663–671
IS 10703	4	523–533	Medical errors/incidents	3	381–388
Isometric strength	6	696–702	Medium-sized business establishments	4	452–463
Isopropyl alcohol	4	534–541	Menopausal hot flash	5	566–574
J			N		
Japan	1	116–121	Menstrual cycle	2	228–234
	1	3–7	Menstrual pain	2	228–234
Japanese	2	228–234	Mental stress	3	265–273
Japanese workers	2	203–208	Mental workload	5	566–574
	3	365–373	Mercury	2	249–254
Job burnout	2	158–165	Mesothelioma	2	166–172
Job satisfaction	1	116–121	Metabolic syndrome	3	365–373
Job stress	2	173–184	Metals	1	63–72
	5	634–641	Methyl bromide	1	133–138
K			Mice	5	619–625
Karasek's job-strain model	2	173–184	Migrant workers	2	235–241
Kinesio Tape	4	403–409	Milled rumble strips	5	549–558
Korea	1	3–7	Misclassification	4	475–481
Korean Occupational Exposure Limit (KOEL)	6	703–713	Mongolia	5	582–588
L			Morningness-eveningness	5	634–641
Labelling	6	765–773	Motivation	3	365–373
Latency	2	166–172	Multi axis vibration	4	410–420
Latent class cluster analysis	1	73–88	Multidimensional health locus of control	3	365–373
Latent heat resistance	2	185–194	Multinomial regression	1	73–88
Lead	2	255–261	Multiwall carbon nanotube	2	215–220
Leukocyte	3	396–399	Musculoskeletal disorders	3	311–320
Lifestyle	3	321–327	MWCNT	6	726–734
Limb impairments	3	297–310	N		
Liver cancer	5	663–671	Nailfold capillary microscopy	5	614–618
Load carrying method	1	30–36	Nanomaterials	3	280–296
Longitudinal Study	3	321–327	Nanoparticle	3	344–352
Low back syndrome	4	517–522	Nanotechnology	3	280–296
Low-level exposure	5	619–625	Nanotube	6	726–734
Lumbar region	4	517–522	Narrow rural roads	5	549–558
Lung cancer	5	663–671	Neck	4	482–491
Lung fibrosis	1	122–125	Negative acts questionnaire	6	686–695
	6	746–754	Neurotoxicity	2	151–157
Lung-associated lymph node	2	215–220		3	328–337
M			New employment permit system	2	235–241
Machine	6	735–745	Nickel oxide	3	344–352
Macrophages	2	215–220	Night shift	5	589–596
			Night work	4	475–481
				5	658–662

	No.	Page		No.	Page
Nose-only inhalation	1	47–55	Plasma	6	746–754
Nurse	3	381–388	Pleural cancer	2	166–172
	5	589–596	Pleural plaques	5	626–633
	6	677–685	Police officers	3	353–364
Nurses	2	158–165	Population with no occupational exposure	3	338–343
	5	597–604	Practice management	6	774–778
O			Pregnancy	2	255–261
Objective measures	1	15–23	Prolonged fatigue	4	434–442
Occupation	2	255–261	Proposed analytic function method	1	56–62
Occupational exposure	1	126–132	Protective clothing	4	443–451
	1	133–138		6	714–725
	1	89–94	Psychological distress	6	677–685
	2	249–254	Psychological stress	5	566–574
Occupational health	4	511–516	Psychophysics	6	755–764
Occupational health nursing	6	774–778	Psycho-social stress	5	642–651
Occupational health physicians	6	774–778	Push and pull	6	696–702
Occupational health service	6	774–778	Q		
Occupational injury	5	642–651	Questionnaire	3	365–373
Occupational mental health	4	452–463	R		
Occupational safety	3	280–296	Reactive nitrogen species (RNS)	2	151–157
Occupational stress	1	15–23	Recovery	3	353–364
	2	158–165	Rectal temperature	6	714–725
Oocyte maturation	5	619–625	Regulation	3	280–296
Organic solvent	4	421–426	Reproduction	5	619–625
	4	534–541	Research laboratory	4	421–426
Organizational changes	3	353–364	Respirable particulate matters	2	221–227
Organizational climate	6	686–695	Respirable silica	2	221–227
Organophosphorus pesticides (OPs)	6	703–713	Respiratory symptoms	1	89–94
ortho-phthalaldehyde	3	328–337	Rest	2	203–208
Oxidative stress	1	8–14	Risk assessment	2	209–214
	6	746–754	Risk management	3	280–296
Oxygen radical	1	122–125	Risks groups	1	73–88
P			RNA damage	2	151–157
Pain	5	642–651	Road accidents	3	389–392
PALM	4	403–409	Rock wool	1	47–55
Parathion	6	703–713	S		
Pathological diagnosis	5	663–671	Safety	2	209–214
Peripheral circulatory dysfunction	5	614–618	Secondary disorders	3	297–310
Peritoneal cancer	2	166–172	Security guard	2	143–150
Personal	1	63–72	Self-rated health	4	501–510
Persons with disabilities	3	297–310	Seoul	2	242–248
Pesticide formulation worker	6	703–713	Sex differences	4	452–463
Petroleum work	4	443–451	Shape factor	4	492–500
Phorate	6	703–713	Shift work	3	381–388
Physical activity	3	321–327		3	389–392
	4	464–474		5	589–596
Physical acts	2	143–150		5	652–657
Physical fitness program	3	311–320		5	658–662
Physician	2	173–184	Shift-work	5	597–604
Pipeline	2	209–214	Shiftwork	5	634–641
Plaque	1	122–125			

	No.	Page		No.	Page
Shoulder	4	482–491	U		
Shoulder and forearm muscles	5	575–581	UN GHS implementation	6	765–773
Sickness absence	1	116–121	Underground	2	242–248
Silicosis	1	122–125	Unmixed solvent	4	421–426
Sioutas cascade impactor	6	726–734	Urinary bromide ion	1	133–138
Skin lead loading	1	37–46	Urine	6	746–754
Sleep	3	353–364	Urine sampling	1	24–29
Sleep practice	5	634–641	Use pattern	4	421–426
Sleepiness	3	353–364	V		
	3	389–392	Vacuum tube	1	24–29
	5	634–641	Validity	6	686–695
Sleepy drivers	5	549–558	VDT work	3	297–310
Slump sitting	4	403–409	Ventilation	3	393–395
Small and medium-sized enterprises	3	311–320		6	735–745
Social skills	6	677–685	Verbal aggression	2	143–150
Social support	6	677–685	Vitamin D	4	475–481
Softwoods hardwoods	4	492–500		5	658–662
Solvent mixture	4	534–541	VO ₂ max	3	321–327
Spatial dispersion	2	221–227	Volatile organic compounds	1	8–14
SSE	1	56–62	Volatile organohalogen compounds	1	126–132
Stair climbing	1	30–36	W		
Stair slope	1	30–36	Wagner's criteria	1	47–55
Standards	3	280–296	Warm clothes	4	464–474
Stochastic model	4	511–516	WBGT	5	605–613
Strength limits	4	523–533	Weight of evidence	5	559–565
Stress	2	228–234	Welding	1	63–72
	6	774–778		3	274–279
Stress indices	1	95–106	Welding current	3	274–279
Subjective health	3	353–364	Well-fitting gloves	5	575–581
Subjective measures	1	15–23	White-collar employee	1	116–121
Subjective symptoms	4	464–474	WHO	6	765–773
Subway station	2	242–248	Whole body vibration	4	410–420
Suicidal ideation	4	452–463	Women	3	381–388
Survey	2	173–184	Wood dust	4	492–500
T			Work	4	501–510
Taiwan	2	173–184	Work characteristics	4	501–510
Thermal environment assessment	1	95–106	Work environment	4	501–510
Thermal gradient of the body	2	185–194		5	605–613
Thermal strain	5	605–613	Work form	3	321–327
Thermoregulation	2	185–194	Work hours	5	652–657
Thin layer headspace	1	126–132		5	658–662
Threats of assaults	2	143–150	Work load	3	321–327
Titanium dioxide	3	344–352	Work performance	5	566–574
Toluene	1	8–14	Work related musculoskeletal disorders	4	482–491
	2	195–202	Work schedule	5	658–662
	4	534–541	Work schedule tolerance	5	597–604
Tracer gas	6	735–745	Work stress	3	353–364
Tractor	4	523–533	Work stressors	5	642–651
Traffic law	3	389–392	Work-associated factors	4	452–463
Treatment	2	203–208	Workers	5	575–581
Trichlorfon	5	619–625	Working conditions	4	434–442

	No.	Page		No.	Page
Working environment control	3	297–310	Workplace factors	4	501–510
Working schedule	4	475–481	Work-related disease	1	3–7
Workload	4	434–442	Work-related violence	2	143–150
Workplace	3	381–388	Z		
Workplace bullying	1	73–88	Zero accident campaign	1	56–62
	6	686–695	Zero accident time	1	56–62