

Can Workers Answer Their Questions about Occupational Safety and Health: Challenges and Solutions

Martijn RHEBERGEN^{1*}, Frank VAN DIJK¹ and Carel HULSHOF^{1,2}

¹Coronel Institute of Occupational Health, Academic Medical Center Amsterdam/University of Amsterdam, The Netherlands

²Netherlands Society of Occupational Medicine (NVAB), Centre of Excellence, The Netherlands

Received November 9, 2011 and accepted March 9, 2012

Published online in J-STAGE March 28, 2012

Abstract: Many workers have questions about occupational safety and health (OSH). Answers to these questions empower them to further improve their knowledge about OSH, make good decisions about OSH matters and improve OSH practice when necessary. Nevertheless, many workers fail to find the answers to their questions. This paper explores the challenges workers may face when seeking answers to their OSH questions. Findings suggest that many workers may lack the skills, experience or motivation to formulate an answerable question, seek and find information, appraise information, compose correct answers and apply information in OSH practice. Simultaneously, OSH knowledge infrastructures often insufficiently support workers in answering their OSH questions. This paper discusses several potentially attractive strategies for developing and improving OSH knowledge infrastructures: 1) providing courses that teach workers to ask answerable questions and to train them to find, appraise and apply information, 2) developing information and communication technology tools or facilities that support workers as they complete one or more stages in the process from question to answer and 3) tailoring information and implementation strategies to the workers' needs and context to ensure that the information can be applied to OSH practice more easily.

Key words: Information-seeking behavior, Workers, Information sources, Occupational safety and health

Background

Many workers have questions and concerns about occupational safety and health (OSH)^{1–4}. Such questions may range from issues involving psychosocial risk factors and mental health to questions on chemical substances, infectious diseases or safety legislation. These questions may differ per worker, sector of industry, company size

and country. The term “workers” is defined differently in the legislations of various countries and can differ in use in international conventions and organisations such as the International Labour Organization (ILO) and the World Health Organization (WHO). In this paper we use a definition of workers that is in agreement with the definition used in the recent WHO publication, *Healthy Workplace Framework and Model*, in which the term “worker” is defined widely as “A person who provides physical and/or mental labour and/or expertise to an employer or other person. This includes the concept of ‘employee’, which implies a formal employment contract, and also informal

*To whom correspondence should be addressed.

E-mail: m.d.rhebergen@amc.uva.nl

©2012 National Institute of Occupational Safety and Health

workers who provide labour and/or expertise outside of a formal contract relationship. In a larger enterprise or organisation, it includes managers and supervisors who may be considered part of ‘management’ but are also workers. It also includes those who perform unpaid work, either in terms of forced labour or domestic work, and those who are self-employed^{2,5)}.

Answers to OSH questions may empower workers to improve their knowledge or understanding, make good decisions about OSH matters, and improve safety and health at work when necessary^{6–12)}. To answer questions and make improvements in practice, workers seek and apply information or advice from OSH professionals, from education and training opportunities and from such sources as informational websites, fact sheets, books or practice guidelines^{2, 13–15)}. Several studies suggest that the information-seeking behaviour of workers, and the available information sources, frequently fail to produce answers to workers’ OSH questions^{1–4, 15)}. This seems often independent of the education level, sector, company size or question topic^{2, 15)}. Answering health questions is a difficult process that requires specific skills or health literacy and a well functioning knowledge infrastructure^{16–18)}. Currently, little is known about the challenges workers may experience when seeking answers to their questions or making changes to their OSH practice.

The five steps of evidence-based practice (EBP), developed to help health professionals and researchers to use high-quality scientific information to answer their health questions, may also be useful for describing the challenges workers face when answering their OSH questions (Fig. 1)^{17, 19)}. These stages are as follows:

- 1) The worker needs to formulate an answerable OSH question;
- 2) The worker needs to seek, find and select information in OSH information facilities;
- 3) The worker needs to appraise information for reliability and applicability;
- 4) The worker needs to formulate a correct answer by integrating information with personal expertise and a specific context;
- 5) The worker may need to apply the information to actually change OSH practices.

The main aim of this paper is to explore and describe these five stages more thoroughly and discuss the potential challenges workers can face during the answer-seeking process. The second aim is to explore potential strategies that may overcome some of these challenges. Where possible, relevant literature and key publications are provided. In this




Fig. 1. Conceptual stepwise model that describes the five stages in the process from asking a question to applying its answer in OSH practice. The model also illustrates the challenges workers may face at each stage.

paper, the terms ‘information’, ‘advice’ and ‘knowledge’ (products and tools) are used as synonyms, although we are aware that these terms may have different connotations. These words are used as umbrella terms for meaningful data that help to answer a question, e.g., a fact-sheet about a particular OSH risk or a potential change, product or intervention to overcome this risk. In appendix 1, an example case is provided to further illustrate the challenges a worker may face in completing any of the five stages.

Stage 1 – Formulating an Answerable OSH Question

Despite considerable progress in a number of countries and sectors of industry, many workers are still exposed to serious health and safety risks at work, and many experience disabling work-related health problems^{20–23}. These adverse working conditions and health problems often elicit questions and concerns from the workers^{1–4, 13, 15}.

Currently, it is unknown whether workers are able to narrow their OSH problems to a specific, answerable OSH question. To gain insight into workers' information-seeking difficulties and solutions, it can be useful to study how health professionals deal with the problem of formulating and solving health-related questions. Formulating a good, "answerable" clinical question is one of the most important and difficult elements health professionals face when practicing evidence-based medicine^{17, 19, 24, 25}. In evidence-based practice, answerable clinical questions are often created by specifying and narrowing down the question with the population, intervention, control and outcome (PICO) search terms strategy to perform an adequate literature search¹⁹. Because health professionals require extensive training to formulate a specific question, it is likely that at least some workers will have difficulty generating good, answerable OSH questions. Moreover, workers mostly will not be familiar with the topic of their question or with the related medical and technical terminology^{15, 26, 27}. As a result, they may need some support when formulating their OSH question.

Stage 2 – Seeking, Finding and Selecting Information

What motivates workers to seek for information or advice? Wilson *et al.*²⁸) developed and evaluated a general model of information-seeking behavior, based particularly on the stress-coping theory²⁹) and the risk-reward theory³⁰). This frequently cited model includes numerous factors that can motivate or hinder the information search, including cognitions, beliefs, attitudes, emotions, the social environment, self-efficacy and such background characteristics as gender, age and educational level^{31–35}). In one of our own studies, Dutch workers' information seeking was particularly motivated by thoughts about the personal benefits or costs of solving the question, negative emotions that accompany the question (e.g., fear or anger) and encouragement by persons in the workers' social environment (e.g., a spouse, friend or colleague)¹⁵). More

international studies are needed to further determine the factors that motivate or discourage workers in this respect.

Theoretically, workers can find their information in various facilities, sources and services provided by their regional, national or international OSH knowledge infrastructure^{14, 36}). The sources and facilities belonging to this infrastructure offer workers easy access to the available high-quality information through the following: 1) information or knowledge products, such as fact sheets or practice guidelines provided by (virtual) libraries or high-quality websites, 2) education and training provided by specialized OSH experts or by the workers' own company and 3) professional advice from occupational physicians or other occupational safety and health professionals^{14, 36, 37}). There is some evidence that the internet and company OSH professionals are workers' most common sources of information^{2, 8, 13, 15}). Professionals are trained to solve complex OSH questions or issues. They can perform diagnostic or environmental assessments and can initiate concrete health care interventions. OSH professionals are contracted directly or indirectly by the employer^{37, 38}). This situation might create a problem, as some workers may believe that these professionals have a possible conflict of interest and may be inclined to take the employer's side³⁹). As a consequence, some workers may prefer to seek advice from independent professionals with expertise on specific OSH topics. However, the consultation of independent (external) experts can be hampered by restricted access, high costs and a lack of contextual information⁴⁰).

For many individuals, the internet is an increasingly important source of health-related information^{2, 8, 15, 41, 42}). Using such online literature databases as PubMed, the Cochrane Library, or the National Guideline Clearinghouse (USA) that provide access to research articles, systematic reviews or evidence-based professional guidelines is generally not a good option for workers. Articles, reviews and guidelines are generally not easy accessible to workers and are difficult to read and understand. It is likely that workers will start their online search using a common search engine (e.g., Google or Yahoo) that facilitates selecting and managing relevant informational websites^{2, 15, 42}). The internet offers great advantages but also has several disadvantages. First, the internet provides access to overwhelming amounts of information. Therefore, it is preferable to use specific search engines and exploit a number of well thought-out search terms that lead to relevant information. Several studies have shown that non-health professionals use too few search terms and open only the first few results displayed by common search engines^{43–46}). Another

problem can be the time needed to perform an extensive information search^{15, 24, 47}. Workers may encounter several challenges in seeking, finding and selecting information. More research is needed to assess how workers realize this stage and which challenges they face.

Stage 3 – Appraising Information

To appraise information, it must first be understood correctly. This may be a problem for many workers, as most medical, technical and scientific information is difficult to read, especially for workers with low education levels or without knowledge of medical, technical or scientific terminology^{26, 27}. Another obstacle is the actual appraisal of the information's reliability. In line with the EBP approach, reliable information can be seen as that which corresponds with conclusions or recommendations based on the best available evidence from research and practice^{17, 19}. Research has shown that the reliability, not only of the information found on internet^{48–51}, but also of professional advice, may vary substantially⁵². This becomes problematic when information seekers do not (correctly) appraise the quality of the information. One of our studies suggests that workers in general cannot critically appraise the information they find⁵³. Fox concluded that 75% of American health-information seekers do not consistently check quality indicators, such as the source and the date of health information they find online⁵⁴. Eysenbach & Kohler found that most people do not judge the quality of a website by checking out its owners or reading its disclaimers⁴³. Although more research is needed, many workers may need help with finding high-quality information or appraising the quality of the information they find.

Stage 4 – Composing a Correct Answer

Composing a correct, evidence-based answer to a context-specific OSH question from information found often requires skills. Again, this process is comparable to the evidence-based practice paradigm, which involves the integration of three essential elements into the answer formulation process: 1) professionals' expertise and experience, 2) the patients' (workers') needs, expectations, preferences and context and 3) the best available research evidence^{17, 19}. Workers do not possess the OSH experience and expertise (e.g., about exposure levels and measurement protocols) that are needed to compose an answer. Some evidence suggests that workers indeed have difficulties composing their answers^{15, 46}. In our recent

questionnaire study with 500 Dutch workers, almost half of the respondents searching for information mentioned that they could not find the answer they were looking for because they had difficulty applying information to their specific question¹⁵. More research is needed on how workers compose their answers, especially on how they integrate the information they find into their specific context.

Stage 5 – Applying Information in OSH Practice

The last stage, the actual application of high-quality information and answers in OSH practice, is a complex and time-consuming process^{55–59}. It often requires changes in the beliefs, culture, behavior, practices and policies of different stakeholder groups, such as management and OSH professionals⁵⁸. Several aspects have been shown to facilitate or hinder the application of information into practice. These aspects are related to the following: 1) the actual content of the proposed change, solution or intervention, 2) the context of the change and 3) the implementation strategies used to realize the proposed change^{60–62}. For example, the proposed change is less useful to the worker if it interferes with his work process, if management finds it too expensive or if colleagues are not efficiently instructed or motivated about how and when to use the proposed change. Table 1 presents an overview of potential challenges workers may face during each of the five stages of the process from formulating a question to applying its answer to OSH practice.

Strategies to Support Workers

Supporting the stages from question to answer

Workers face several challenges when answering their OSH questions and implementing changes in OSH practices (Table 1). Internationally, some examples of potentially attractive strategies or practices can be identified that may successfully support workers in the stages from question to answer. Although more study on their effectiveness is necessary, two main strategies are: 1) providing education and training and 2) developing information and communication technology (ICT) tools or facilities.

Like traditional evidence-based practice courses provided to professionals^{17, 19, 63}, courses that aim to teach non-health professionals to formulate answerable health questions, find and appraise information and compose answers seem an attractive strategy^{50, 64}. Even if workers

Table 1. Overview of challenges workers may face during each of the five stages in the process from asking a question to applying its answer in OSH practice

Stages	Potential challenges
1. Formulating answerable questions	<ul style="list-style-type: none"> • Unfamiliarity with the question topic • Inability to specify the question
2. Seeking, selecting and finding information	<ul style="list-style-type: none"> • Lack of motivation to seek information (e.g., no urgent situation, no encouragement to seek information) • Lack of time to seek information • Inability to compose a good search strategy (e.g., not knowing relevant information sources, using only a few search terms, opening only the first results presented by common search engines) • Challenges related to (thoughts about) information facilities (e.g., untrustworthy and biased experts, inaccessible experts, experts with high consultation costs, inconvenient amounts of information presented by the internet, questions about the reliability of the internet)
3. Appraising information	<ul style="list-style-type: none"> • Inability to understand information (e.g., understanding medical, technical or scientific terminology) • Inability or lack of motivation to appraise the reliability of information (e.g., not checking the source or date of information) • Challenges related to the actual reliability of information facilities (i.e., information provided by the internet or by professionals is sometimes unreliable)
4. Composing correct answers	<ul style="list-style-type: none"> • Inability or lack of motivation to interpret and combine several pieces of information or to combine this information with several contextual aspects • Inability to apply information to a specific question
5. Applying information in OSH practice	<ul style="list-style-type: none"> • Challenges related to the content of proposed changes or solutions in OSH practice (e.g., the particular change is not useful or is too complex for the worker) • Challenges related to the context to which a proposed change is to be applied (e.g., the proposed change is too expensive according to management) • Ineffective methods are used to implement the proposed change (e.g., ineffective worker education or motivation)

only occasionally have one or two OSH questions¹⁵⁾, our current online information era makes the further study of this educational strategy worthwhile.

A second strategy to support workers in the process from OSH question to answer is providing them with supporting (online) information and communication technology tools or facilities. One such tool is an online question builder. An example of this is provided by the Agency for Healthcare Research and Quality. It helps patients formulate answerable questions when communicating with their doctors⁶⁵⁾. Furthermore, independent, noncommercial online libraries, depositories and portals may provide workers with useful, high-quality information^{66–68)}. These may include fact sheets, decision aids, learning materials, guidelines, research summaries for practice and good practice guidelines developed for specific user groups. To guide workers to relevant information online, software developers should create intelligent search engines that facilitate finding information. Search engines may especially focus on information quality and usefulness. An attractive method for providing easily accessible, high-quality information is by frequently asked questions and answers (FAQs). An example of this strategy has been developed

by the Canadian Center of Occupational Health and Safety⁶⁹⁾. Thousands of OSH questions and their answers can be accessed online.

Another attractive option is an online or telephone OSH expert advice service. Such services may support workers in the first four stages. OSH experts are supposed to be able to provide workers with high-quality tailored information and advice, especially when they are trained in evidence-based medicine and practice^{23, 24)}. Recently, similar services have become available in several countries, including Canada, Scotland, Norway, Germany and the Netherlands^{1, 3, 4, 70, 71)}. Telephone expert services provide workers with information and advice directly and offer the opportunity for a dialogue between workers and OSH experts. This may be especially useful for formulating relevant and answerable questions. Another possibility for providing expert service is an online expert network^{71–74)}. Online networks may help workers contact several OSH experts with expertise in different OSH issues⁷⁵⁾. Online expert networks support the storage and reuse of information and answers. Such tools can support the question-asking and answering process by sending an e-mail notification to the expert (when questioned) and the questioner

(when answered). This technology has also been applied in such organizations as Boeing, ABN AMRO Bank and Philips⁷⁴).

An advantage of online tools in general is that they are easy to access, especially by using such recent mobile technology developments as smartphones and tablet PCs. Innovative application software (an “App”) may further increase the accessibility and usability of high-quality information⁷⁶. Future research could compare the effectiveness of new strategies with common information sources in terms of their rate of correct answers and impact on workers knowledge, perceptions, decision-making or actual changes in OSH practice.

Supporting the application of answers to OSH practice

Sometimes, the information workers find can directly improve their OSH-related knowledge or OSH practice. More often, substantial changes in OSH practice must be organized and accomplished in collaboration with or organized separately by other OSH stakeholders in the company, i.e., the employer, manager, HR professional or OSH supervisor³⁷). A worker can present his or her information and the corresponding OSH practice changes to the responsible stakeholders, who will take the lead in implementing these changes.

Many theories and models exist that aim at facilitating the application of information^{56, 58, 60–62, 77, 78}). The theory of diffusion of innovations⁶²) and the framework for participatory ergonomics (for reducing the burden of work-related musculoskeletal disorders) are among the important and frequently used models in the OSH field⁵⁶). A new, upcoming model is the knowledge-to-action framework developed by Graham *et al.*⁷⁷). Using a systematic review of action theories and knowledge application frameworks and models, Graham *et al.* created a framework specifically for promoting the application of high-quality research information in healthcare practice. The authors identified several actions essential to the application of quality information. These actions, which can take place in sequence or simultaneously, are:

- 1) Assess the actual problem and select information (i.e., potential changes, solutions or interventions for OSH practice).
- 2) Adapt to the local context.
- 3) Identify barriers to the use in practice.
- 4) Develop and tailor the implementation strategies.
- 5) Monitor the actual use in practice.
- 6) Evaluate the outcomes of use.
- 7) Sustain the use.

In general, realizing these actions requires tailoring information and implementation strategies to the needs of both the intended users and the context. Research suggests that tailoring information and implementation strategies is beneficial to the application in practice^{79–82}). For example, OSH experts and professionals are supposed to be able to provide workers with tailored information and advice. Another important possibility for the tailoring process is involving the intended users (i.e., workers) during the development and implementation of information and knowledge products, such as websites or fact-sheets⁵⁸). Common methods of involving users are focus groups, interviews, Delphi methods or usability tests^{71, 83–87}). The aim of using these methods is to explore the diversity of attitudes, ideas or beliefs on potential barriers and facilitators to use a new information or knowledge product. Despite the potential positive effects of tailoring information, this has not become standard practice. Time and financial constraints may be the cause of this.

Although the knowledge application framework of Graham *et al.*⁷⁷) is largely analytic in nature, this way of framing may also be useful for OSH, in which knowledge application projects will probably be led by HR managers or OSH professionals working in or for the company. For example, the leading OSH professional should collaborate with all stakeholders, particularly the workers, who can identify the specific problem, help to recognize specific barriers and tailor the implementation strategies^{80, 88–90}). Future research may focus on further refining and validating this framework for the OSH field.

Conclusions

Workers face several challenges when answering their OSH questions. Likely, many may lack the skills, experience or motivation to formulate an answerable question, seek and find information, appraise information, compose correct answers, or apply these answers in OSH practice. Simultaneously, OSH knowledge infrastructures often insufficiently support workers in answering their OSH questions. Because a good OSH knowledge infrastructure aims to provide workers with high-quality information and training facilities, further development of these infrastructures seems necessary. Examples of attractive strategies or practices that are already provided in some industries or countries include the following: 1) educating workers in formulating answerable questions and finding, appraising and applying information in a way similar to that of evidence-based practice courses developed for profes-

sionals and 2) developing ICT tools or facilities that help workers complete one or more stages in the process from OSH question to answer. An example of such a facility is an online network of OSH experts providing workers with answers. Finally, tailoring information and implementation strategies to workers' needs and context is likely to facilitate their use and application in OSH practice. This requires the collaboration of all stakeholder groups in the company, including workers. Both the challenges workers face in the OSH question-to-answer process and the effectiveness of the strategies described in this paper require further study. Finally, the described barriers in the process from OSH question to answer are not unique to workers, but extend to OSH professionals and even researchers. Therefore, the proposed strategies may also be useful for these target audiences.

References

- 1) Canadian Centre for Occupational Health and Safety. Report of the Council – April 1, 2007 to March 31, 2008. <http://www.ccohs.ca/ccohs/reports/annualReport0708.pdf>. Accessed October 30, 2011.
- 2) Hoekstra P, van der Laan N (2008) Inventarisatie naar informatiebehoefte over arbeidsomstandigheden [Inventory of Informational Needs in Occupational Health and Safety]. (in Dutch).
- 3) Lang KH, Deilmann M, Nover H (Zusammenfassung und Fortschreibung der Ergebnisse zum Pilotprojekt REACH-Net [Summary and Follow-up of the Results of the Pilotproject REACH-Net]. Forschungsbericht Nr. 17, 2007. http://www.institut-aser.de/pdf_files/literatur/REACH-Net-Zusammenfassung-Fortschreibung.pdf. Accessed October 30, 2011 (in German).
- 4) Scott Porter Research and Marketing (2004) Safe and Healthy Working – The Occupational Health Service for Small and Medium Enterprises (SMEs). <http://www.healthscotland.com/uploads/documents/RE04920032004Final.pdf>. Accessed October 30, 2011.
- 5) World Health Organization (2010) WHO Healthy Workplace Framework and Model: Background and Supporting Literature and Practices. http://www.who.int/occupational_health/healthy_workplace_framework.pdf. Accessed October 30, 2011.
- 6) Broom A (2005) Virtually he@lthy: the impact of internet use on disease experience and the doctor-patient relationship. *Qual Health Res* **15**, 325–45.
- 7) Car J, Lang B, Colledge A, Ung C, Majeed A (2011) Interventions for enhancing consumers' online health literacy. *Cochrane Database Syst Rev* **6**, CD007092.
- 8) Fox S, Jones S (2009) The Social Life of Health Information. http://www.pewinternet.org/~media/Files/Reports/2009/PIP_Health_2009.pdf. Accessed October 30, 2011.
- 9) Kalichman SC, Cain D, Cherry C, Pope H, Eaton L, Kalichman MO (2005) Internet use among people living with HIV/AIDS: coping and health-related correlates. *AIDS Patient Care STDS* **19**, 439–48.
- 10) Munro J, Sampson F, Nicholl J (2005) The impact of NHS Direct on the demand for out-of-hours primary and emergency care. *Br J Gen Pract* **55**, 790–2.
- 11) Pencheon D (1998) Matching demand and supply fairly and efficiently. *BMJ* **316**, 1665–7.
- 12) Pourmand A, Sikka N (2011) Online health information impacts patients' decisions to seek emergency department care. *West J Emerg Med* **12**, 174–7.
- 13) Dryson E (1993) Occupational health needs in small industry in New Zealand: preferred sources of information. *Occup Med (Lond)* **43**, 176–9.
- 14) Hugenholtz NI, Schreinemakers JF, Tjak MA, van Dijk FJ (2007) Knowledge infrastructure needed for occupational health. *Ind Health* **45**, 13–8.
- 15) Rhebergen MD, Lenderink AF, van Dijk FJ, Hulshof CT (2012) Do Dutch workers seek and find information on occupational safety and health? *Am J Ind Med* **55**, 250–9.
- 16) Anton B, Nelson R (2006) Literacy, consumer informatics, and health care outcomes: interrelations and implications. *Stud Health Technol Inform* **122**, 49–53.
- 17) Sackett DL, Richardson WS, Rosenberg W, Haynes RB (1998) Evidence-based medicine. How to practice & teach EBM, Churchill Livingstone, Edinburgh.
- 18) Schardt C (2011) Health information literacy meets evidence-based practice. *J Med Libr Assoc* **99**, 1–2.
- 19) Offringa M, Assendelft W, Scholten R (2008) Inleiding in evidence-based medicine [Introduction in evidence-based medicine], 2nd Ed., Loghoom, Houten (in Dutch).
- 20) Eurostat. Labour Force Survey 2007 – ad hoc module on accidents at work and work-related health problems. http://epp.eurostat.ec.europa.eu/portal/page/portal/product_details/publication?p_product_code=KS-SF-09-063. Accessed October 30, 2011.
- 21) Bureau of Labor Statistics U.S. Department of Labor, Workplace Injuries and Illnesses – 2010. <http://www.bls.gov/news.release/pdf/osh.pdf>. Accessed October 30, 2011.
- 22) Health and Safety Executive (HSE) Statistics 2009/10. <http://www.hse.gov.uk/statistics/overall/hssh0910.pdf>. Accessed October 30, 2011.
- 23) TNO (2009) De nationale enquête arbeidsomstandigheden 2009 [National Survey Occupational Safety and Health 2009]. http://www.tno.nl/downloads/rapport_nea_20091.pdf. Accessed October 30, 2011.
- 24) Hugenholtz NI, Nieuwenhuijsen K, Sluiter JK, van Dijk FJ (2009) Do knowledge infrastructure facilities support evidence-based practice in occupational health? An exploratory study across countries among occupational physicians enrolled on Evidence-Based Medicine courses. *BMC Health Serv Res* **9**, 18.
- 25) Schaafsma F, Hugenholtz N, de Boer A, Smits P, Hulshof

- C, van Dijk F (2007) Enhancing evidence-based advice of occupational health physicians. *Scand J Work Environ Health* **33**, 368–78.
- 26) Birru MS, Monaco VM, Charles L, Drew H, Njie V, Bierria T, Detlefsen E, Steinman RA (2004) Internet usage by low-literacy adults seeking health information: an observational analysis. *J Med Internet Res* **6**, e25.
 - 27) Stableford S, Mettger W (2007) Plain language: a strategic response to the health literacy challenge. *J Public Health Policy* **28**, 71–93.
 - 28) Wilson TD (1999) Models in information behaviour research. *J Doc* **55**, 249–70.
 - 29) Lazarus RS, Folkman S (1984) *Stress appraisal and coping*, Springer Publishing Company, New York.
 - 30) Settle RB, Alreck P (1989) Reducing buyers' sense of risk. *Mark Commun* **14**, 34–40.
 - 31) Atkinson NL, Saperstein SL, Pleis J (2009) Using the internet for health-related activities: findings from a national probability sample. *J Med Internet Res* **11**, e4.
 - 32) Berg AM, Hem E, Lau B, Ekeberg O (2006) Help-seeking in the Norwegian Police Service. *J Occup Health* **48**, 145–53.
 - 33) Borgers R, Mullen PD, Meertens R, Rijken M, Eussen G, Plagge I, Visser AP, Blijham GH (1993) The information-seeking behavior of cancer outpatients: a description of the situation. *Patient Educ Couns* **22**, 35–46.
 - 34) Case DO (2008) *Looking for Information: a survey of research on information seeking, needs, and behavior*, 2nd Ed., Emerald Group Publishing, Bingley.
 - 35) Rice RE (2006) Influences, usage, and outcomes of Internet health information searching: multivariate results from the Pew surveys. *Int J Med Inform* **75**, 8–28.
 - 36) van Dijk FJH, Verbeek JH, Hoving JL, Hulshof CTJ (2010) A knowledge infrastructure for occupational safety and health. *J Occup Environ Med* **52**, 1262–8.
 - 37) International Labour Organization (2006) C187 Promotional Framework for Occupational Safety and Health Convention, <http://www.ilo.org/ilolex/cgi-lex/convde.pl?C187>. Accessed October 30, 2011.
 - 38) Hulshof CTJ, Frings-Dresen MHW (2010) International OH systems. Part 2: occupational health delivery in the Netherlands. *Occup Health Work* **6**, 19–23.
 - 39) de Zwart BCH, Prins R, van der Gulden JWJ (2011) Onderzoek naar de positie van de bedrijfsarts [Study on the position of the occupational physician]. <http://www.rijksoverheid.nl/documenten-en-publicaties/rapporten/2011/07/04/onderzoek-naar-de-positie-van-de-bedrijfsarts.html>. Accessed October 30, 2011 (in Dutch).
 - 40) Burg MA, Zebrack B, Walsh K, Maramaldi P, Lim JW, Smolinski KM, Lawson K (2010) Barriers to accessing quality health care for cancer patients: a survey of members of the association of oncology social work. *Soc Work Health Care* **49**, 38–52.
 - 41) Baker L, Wagner TH, Singer S, Bundorf MK (2003) Use of the internet and e-mail for health care information: results from a national survey. *JAMA* **289**, 2400–6.
 - 42) Eysenbach G, Kohler C (2004) Health-related searches on the Internet. *JAMA* **291**, 2946.
 - 43) Eysenbach G, Kohler C (2002) How do consumers search for and appraise health information on the world wide web? Qualitative study using focus groups, usability tests, and in-depth interviews. *BMJ* **324**, 573–7.
 - 44) Hansen DL, Derry HA, Resnick PJ, Richardson CR (2003) Adolescents searching for health information on the Internet: an observational study. *J Med Internet Res* **5**, e25.
 - 45) Peterson G, Aslani P, Williams KA (2003) How do consumers search for and appraise information on medicines on the internet? A qualitative study using focus groups. *J Med Internet Res* **5**, e33.
 - 46) van Deursen AJ, van Dijk JA (2011) Internet skills performance tests: are people ready for eHealth? *J Med Internet Res* **13**, e35.
 - 47) Revere D, Turner AM, Madhavan A, Rambo N, Bugni PF, Kimball A, Fuller SS (2007) Understanding the information needs of public health practitioners: a literature review to inform design of an interactive digital knowledge management system. *J Biomed Inform* **40**, 410–21.
 - 48) Eysenbach G, Powell J, Kuss O, Sa ER (2002) Empirical studies assessing the quality of health information for consumers on the world wide web: a systematic review. *JAMA* **287**, 2691–700.
 - 49) Haigh CA (2011) Wikipedia as an evidence source for nursing and healthcare students. *Nurse Educ Today* **31**, 135–9.
 - 50) Kortum P, Edwards C, Richards-Kortum R (2008) The impact of inaccurate Internet health information in a secondary school learning environment. *J Med Internet Res* **10**, e17.
 - 51) Tang H, Ng JH (2006) Googling for a diagnosis—use of Google as a diagnostic aid: internet based study. *BMJ* **333**, 1143–5.
 - 52) Schaafsma F, Verbeek J, Hulshof C, van Dijk F (2005) Caution required when relying on a colleague's advice; a comparison between professional advice and evidence from the literature. *BMC Health Serv Res* **5**, 59.
 - 53) Rhebergen MDF, Lenderink AF, van Dijk FJH, Hulshof CTJ (2012) Comparing the use of an online expert health network against common information sources to answer health questions. *J Med Internet Res* **14**, e9.
 - 54) Fox S (2006) *Online Health Search 2006*. http://www.pewinternet.org/~media/Files/Reports/2006/PIP_Online_Health_2006.pdf. Accessed October 30, 2011.
 - 55) Balas AE, Boren SA (2000) *Yearbook of Medical Informatics: Managing Knowledge for Health Care Improvement*, Schattauer Verlagsgesellschaft mbH, Stuttgart.
 - 56) Haines H, Wilson JR, Vink P, Koningsveld E (2002) Validating a framework for participatory ergonomics (the PEF). *Ergonomics* **45**, 309–27.
 - 57) Rebergen DS, Bruinvels DJ, Bos CM, van der Beek AJ,

- van Mechelen W (2010) Return to work and occupational physicians' management of common mental health problems—process evaluation of a randomized controlled trial. *Scand J Work Environ Health* **36**, 488–98.
- 58) Straus SE, Tetroe J, Graham I (2009) Defining knowledge translation. *CMAJ* **181**, 165–8.
- 59) van der Molen HF, Sluiter JK, Hulshof CT, Vink P, Frings-Dresen MH (2005) Effectiveness of measures and implementation strategies in reducing physical work demands due to manual handling at work. *Scand J Work Environ Health* **31** (Suppl 2), 75–87.
- 60) Greenhalgh T, Robert G, Macfarlane F, Bate P, Kyriakidou O (2004) Diffusion of innovations in service organizations: systematic review and recommendations. *Milbank Q* **82**, 581–629.
- 61) Grol R, Wensing M (2006) *Implementatie: effectieve verbetering van de patientenzorg [Implementation]*, 3rd Ed., Elsevier, Maarssen (in Dutch).
- 62) Rogers EM (2003) *Diffusion of innovations*, 3rd Ed., Free Press, New York.
- 63) Hugenholtz NI, Schaafsma FG, Nieuwenhuijsen K, van Dijk FJ (2008) Effect of an EBM course in combination with case method learning sessions: an RCT on professional performance, job satisfaction, and self-efficacy of occupational physicians. *Int Arch Occup Environ Health* **82**, 107–15.
- 64) Van Moorsel G (2001) Do you Mini-Med School? Leveraging library resources to improve Internet consumer health information literacy. *Med Ref Serv Q* **20**, 27–37.
- 65) www.ahrq.gov/questions/qb/. Accessed October 30, 2011.
- 66) www.hse.gov.uk/. Accessed October 30, 2011.
- 67) www.arboportaal.nl/onderwerpen. Accessed October 30, 2011 (in Dutch).
- 68) www.cdc.gov/NIOSH/. Accessed October 30, 2011.
- 69) www.ccohs.ca/oshanswers/. Accessed October 30, 2011.
- 70) Morken T, Bull N, Moen BE (2009) The activity on a Norwegian Occupational Health mailing list 1997–2006. *Occup Med (Lond)* **59**, 56–8.
- 71) Rhebergen MD, Hulshof CT, Lenderink AF, van Dijk FJ (2010) An online network tool for quality information to answer questions about occupational safety and health: usability and applicability. *BMC Med Inform Decis Mak* **10**, 63.
- 72) Harper FM, Raban D, Rafaeli S, Konstan JA (2008) Predictors of answer quality in online Q&A sites. In: *Proceedings of the 26th SIGCHI annual conference on Human Factors in Computing Systems (CHI)*, Florence 2008, 865–74.
- 73) Hsieh G, Counts S (9 A.D.) Mimir: a market-based real time question and answer service. In: *Proceedings of the 27th SIGCHI annual conference on Human Factors in Computing Systems (CHI)*, Boston 2009, 769–78.
- 74) Iske P, Boersma W (2005) Question and answer systems for knowledge sharing: concepts, implementation and return on investment. *J Knowl Manage* **9**, 126–45.
- 75) www.arboantwoord.com. Accessed October 30, 2011 (in Dutch).
- 76) Boulos MN, Wheeler S, Tavares C, Jones R (2011) How smartphones are changing the face of mobile and participatory healthcare: an overview, with example from eCAALYX. *Biomed Eng Online* **10**, 24.
- 77) Graham ID, Logan J, Harrison MB, Straus SE, Tetroe J, Caswell W, Robinson N (2006) Lost in knowledge translation: time for a map? *J Contin Educ Health Prof* **26**, 13–24.
- 78) Ward V, House A, Hamer S (2009) Developing a framework for transferring knowledge into action: a thematic analysis of the literature. *J Health Serv Res Policy* **14**, 156–64.
- 79) Lindenmeyer A, Hearnshaw H, Sturt J, Ormerod R, Aitchison G (2007) Assessment of the benefits of user involvement in health research from the Warwick Diabetes Care Research User Group: a qualitative case study. *Health Expect* **10**, 268–77.
- 80) Meier S, Stock C, Kramer A (2007) The contribution of health discussion groups with students to campus health promotion. *Health Promot Int* **22**, 28–36.
- 81) van Eerd D, Cole D, Irvin E, Mahood Q, Keown K, Theberge N, Village J, St Vincent M, Cullen K (2010) Process and implementation of participatory ergonomic interventions: a systematic review. *Ergonomics* **53**, 1153–66.
- 82) Wyatt K, Carter M, Mahtani V, Barnard A, Hawton A, Britten N (2008) The impact of consumer involvement in research: an evaluation of consumer involvement in the London Primary Care Studies Programme. *Fam Pract* **25**, 154–61.
- 83) Rhebergen MD, Visser MJ, Verberk MM, Lenderink AF, van Dijk FJ, Kezic S, Hulshof CT (2012) User involvement in the application of a genetic test for hand eczema in practice: a comparison of three methods. *J Community Genet* [Online first] DOI: .
- 84) Oliver S, Clarke-Jones L, Rees R, Milne R, Buchanan P, Gabbay J, Gyte G, Oakley A, Stein K (2004) Involving consumers in research and development agenda setting for the NHS: developing an evidence-based approach. *Health Technol Assess* **8**, 1–148.
- 85) Nilsen ES, Myrhaug HT, Johansen M, Oliver S, Oxman AD (2006) Methods of consumer involvement in developing healthcare policy and research, clinical practice guidelines and patient information material. *Cochrane Database Syst Rev* **3**, CD004563.
- 86) Bryman A (2001) *Social Research Methods*. Oxford University Press, Cary.
- 87) Susic TP, Svab I, Kolsek M (2006) Community actions against alcohol drinking in Slovenia—a Delphi study. *Drug Alcohol Depend* **83**, 255–61.
- 88) Martins N, Grace J, Kelly PM (2008) An ethnographic study of barriers to and enabling factors for tuberculosis treatment adherence in Timor Leste. *Int J Tuberc Lung Dis* **12**, 532–7.

- 89) Taveras EM, LaPelle N, Gupta RS, Finkelstein JA (2006) Planning for health promotion in low-income preschool child care settings: focus groups of parents and child care providers. *Ambul Pediatr* **6**, 342–6.
- 90) van Oostrom SH, Anema JR, Terluin B, Venema A, de Vet HCW, van Mechelen W (2007) Development of a workplace intervention for sick-listed employees with stress-related mental disorders: intervention mapping as a useful tool. *BMC Health Serv Res* **7**, 127.

Appendix 1. Jack the printer: example case of a worker and the potential challenges he may face in the stages from question to answer.

Stage 1 – Formulating an answerable OSH question

Jack, a 33 yr-old man with a medium-level education, works as a printer in a medium-sized copy center with 75 employees. The company has 40 large copy machines that make approximately 600,000 prints a day. He and some colleagues are concerned that toner from the photocopiers and printers may be dangerous to their health: “Several people in my company have concerns about the potential danger of toner from our photocopiers and printers. Are there any risks to my health? And if so, what may be an effective solution to this problem?”

Stage 2 – Seeking, finding and selecting information

Although Jack is a proactive man, he has been thinking about this problem for weeks. One day, during lunch, he and two colleagues discussed the issue again. This time, they talked about the risks of toner causing cancer. His concern increases and he decides to look for information on the health risks when he comes home. Jack does not want to primarily contact the occupational physician affiliated with his company. He thinks that the physician is inclined to take his employer’s side and will not provide valid information. There is no one else in the company or in his personal network with expertise on the topic. He thinks calling his general practitioner for an issue that demands specialized advice is not a feasible option. Back at home, Jack turns on his computer and opens his browser to Google. He first types “Printer” and “Health” and finds 300 million results. With “Photocopier” and “Health”, Google provides 2.9 million results. “Toner”, “Health” and “Risk” results in 1.2 million hits and “Toner” and “Asthma” 1 million results. Finally, he uses the terms “Toner” and “Cancer” which reveals 1.3 million possibilities. Although he feels a bit discouraged by the number of hits, he decides to investigate the first few results.

Stage 3 – Appraising information

The first Google result is a sponsored link to a company selling cartridges. Jack has to try the second link, which refers to a question asked in a web forum or expert facility with anonymous experts. The expert refers to a trustworthy website that mentions that *carbon black* can cause lung cancer. The amount of useful information provided on the second website is limited and thus he returns to the search results. The third Google result is a link to

Yahoo!Answers, where a similar question is asked. The expert answering the question states: “IARC (the International Agency for Research on Cancer) has classified toner as a *Group 2B carcinogen*.” This expert says that one experimental study in animals showed that *carbon black* can cause cancer in rats. Jack is starting to get worried again, especially after opening the fourth trustworthy result: a Wikipedia page on laser printers. This page mentions that, depending on *particle composition* and *exposure*, a printer may cause “respiratory irritation or more severe illness, such as cardiovascular problems or cancer.” Other potentially dangerous substances, such as styrene, xylenes, ozone and pentanol are mentioned. Jack is not familiar with some of these terms, and it would take him a lot of time to look up the risks of these individual substances.

Stage 4 – Composing a correct answer

Jack has found a lot of information on the potential dangers of ink and toners. Jack believes in the accuracy of Wikipedia, so there must be a good chance that working unprotected can cause cancer. Nonetheless, he does not know the composition of and exposure to the used ink and toners in his own company. Jack concludes that he should share his findings with his colleagues and boss. He collects all the information and writes a short letter highlighting the possible dangers. He proposes an evaluation of the health and safety risks and refers to several precautions that could be taken to prevent the risks.

Stage 5 – Applying information in OSH practice

It takes Jack a while to convince his supervisor about the possible dangers of the situation. The supervisor first presents Jack’s information to his human resource (HR) manager who, after some insistence, introduces the information to management. Subsequently, the company’s occupational health service conducts an investigation and evaluation of the health and safety risks. The results of the health and safety evaluation show that the emission of *carbon black* is high and that local exhaust ventilation in the floor may be needed to provide sufficient protection. Nonetheless, an expensive ventilation system that costs 50,000 Euro is not considered a feasible option for the company. Therefore, management decides to provide workers with respirators, which is a more affordable option. Because Jack believes these respirators might not protect the workers adequately, he decides to notify the workers council and the trade union.