

Subject Index to Volume 54 (2016)

	No.	Page		No.	Page
A			Cohort study	4	354–360
Active goal-oriented coping	5	421–432	Cold water	2	183–190
Additional children	6	498–504	Colleague support	2	139–148
Ageing	2	183–190	Commercial Driving	5	469–475
AIDS	2	116–122	Communication	1	5–13
Air borne dust	4	315–323	Competence	2	123–130
Air stream	4	315–323	Coping	5	421–432
Aluminum alloy	2	149–156	Countermeasures	6	528–541
Amine	2	101–115	Crossover effect	5	410–420
Anthropometry	6	550–553	Cultural activity	3	254–262
Appraisal of caregiving	3	272–281	Curvilinearity	3	282–292
Arts	3	254–262	D		
Asbestos	4	370–376	Decent work	6	521–527
Assembly manufacturing plant	2	163–176	Depression	5	410–420
Autonomy	2	123–130	Depression	6	564–572
B			Depressive symptoms	1	32–41
Biomarkers	5	448–459	Depressive symptoms	2	131–138
Biomarkers of manganese exposure	1	79–86	Depressive symptoms	5	396–402
Birth order	6	488–497	Descriptive study	6	505–514
Blood	1	79–86	Digestive troubles	2	123–130
Blood pressure	3	215–223	Diphtheria-tetanus vaccine	6	554–563
Blood-borne pathogens	3	224–229	Doctor career	2	139–148
Body temperature	6	528–541	Driver fatigue	4	337–346
Brain slices	1	42–49	Drowsiness	4	296–307
Breath-hold diving	2	183–190	Dust	1	74–78
Bronchoalveolar lavage fluid (BALF)	4	361–369	Dust concentration	4	315–323
Bullying	2	131–138	E		
Bullying perpetrators	1	68–73	Education	2	177–182
Burnout	5	389–395	Education	3	263–271
Burnout	6	480–487	Effective irradiance	2	149–156
Burn-out	2	139–148	Elderly	6	505–514
C			Electromyography	1	58–67
Caffeine	6	528–541	Electrophysiology	1	42–49
Cardiovascular disease	5	433–438	Electrostatic filters	5	403–409
Career development	1	20–31	Emotional exhaustion	2	139–148
Case finding	5	469–475	Employed worker	3	237–245
Catalyst	2	101–115	Employment	3	272–281
Central neurotoxicity	1	42–49	Employment regulation	6	564–572
Change of employer	1	68–73	Ergonomics	2	157–162
Charged human body	6	542–549	Ergonomics	2	163–176
Child health checkup	6	488–497	Expulsion in working life	1	68–73
City bus driver	4	337–346	F		
Cleaner	1	58–67	Failure mode	4	308–314

	No.	Page
Fall	4	354–360
Family caregivers	3	272–281
Family-to-work spillover	3	272–281
Fatigue	2	123–130
Female	3	272–281
Female nurse	5	389–395
Ferruginous body	4	370–376
Fertility intention	6	498–504
Fit test	2	177–182
Floating potential	6	542–549
Floor mopping	1	58–67
Foundry	2	101–115
G		
Gas metal arc welding	2	149–156
Gas-liquid equilibrium	1	42–49
Gender difference	5	410–420
Gender Equality Society	6	480–487
Gender role	6	521–527
Generic Job Stress Questionnaire	5	396–402
Glauropsia	2	101–115
H		
Handles	6	550–553
Harassment	2	131–138
Hazard	2	149–156
Health	6	505–514
Health promoting behaviors	5	439–447
Health Promoting Lifestyle Profile-II	5	439–447
Health promotion	3	254–262
Health responsibility	5	439–447
Healthcare workers	5	439–447
Heart rate	2	183–190
Heat stress	1	14–19
Heat-exposed workers	3	215–223
Hematocrit	5	433–438
HIV	2	116–122
Hospital employees	3	254–262
Hospital performance	2	157–162
Human vibration	4	296–307
I		
Incidents	4	337–346
Induced voltage	6	542–549
Industrial accidents	5	460–468
Industrial hygiene	1	74–78
Industrial hygiene	2	177–182
Industrial hygiene	5	403–409
Informal sector	4	377–385
Informal sector	5	433–438

	No.	Page
Insomnia	2	123–130
Intention to leave	1	32–41
Intention to leave	1	68–73
Internet survey	3	246–253
In-vitro	4	308–314
ISO 9000	4	324–336
J		
Japan	1	20–31
Japan	2	116–122
Japan	3	224–229
Japan	4	354–360
Japan	6	498–504
Japan	6	505–514
Japanese	4	370–376
Japanese women of reproductive age	6	515–520
Japanese workers	3	230–236
Job control	1	32–41
Job control	3	194–203
Job demand	1	32–41
Job demand	3	194–203
Job outcomes	2	157–162
K		
K10 scale	1	5–13
Karolinska sleepiness scale (KSS)	4	296–307
Katakori	3	230–236
Korean	4	370–376
Korean women divers	2	183–190
Korean Working Condition Survey	3	237–245
L		
Leadership	4	324–336
Leisure	3	254–262
Life satisfaction	5	460–468
Life-cycle perspective	1	50–57
Lifestyle factors	3	246–253
Light	6	528–541
Low birth weight	6	515–520
Lumbar	4	308–314
Lung	4	370–376
M		
Male	3	246–253
Malfunction and failure	6	542–549
Management practices	4	324–336
Manager	3	263–271
Maximum acceptable weight of lift	6	550–553
Medical student	2	177–182
Mental disorder	6	564–572
Mental health	1	20–31

	No.	Page
Mental health	3	282–292
Mental health	5	421–432
microRNA-181c (miR-181c)	4	361–369
microRNA-29a (miR-29a)	4	361–369
microRNAs (miRNAs)	4	361–369
Middle-aged	6	505–514
Minerals	3	215–223
Moderator	3	194–203
Muscle activity	1	58–67
Musculo-skeletal	4	377–385
N		
Napping	6	528–541
Needlestick injuries	3	224–229
Neuropsychological effects	1	79–86
Night shift countermeasures	2	157–162
Non-contact measuring system	6	542–549
Non-regular work	6	521–527
Nurses	1	32–41
Nutrition	5	439–447
O		
Obstructive Sleep Apnea Syndrome (OSAS)	5	469–475
Occupational epidemiology	1	74–78
Occupational epidemiology	3	204–214
Occupational health	4	324–336
Occupational health	4	354–360
Occupational health	4	377–385
Occupational health	6	554–563
Occupational health and safety management system	3	204–214
Occupational stress	5	396–402
Occupational toxicology	5	448–459
Occupational well-being	3	254–262
Oil load	5	403–409
Operating room	3	224–229
Oral conditions	3	246–253
Oral health behavior	3	246–253
Organic solvent	1	42–49
Organizational engagement	6	480–487
Organizational justice	3	263–271
P		
Pain	5	460–468
Parity	6	515–520
Penetration	5	403–409
Perceived exertion	1	58–67
Physical activity	5	439–447
Physical therapist	4	347–353

	No.	Page
Physiological response	1	14–19
Policy	5	469–475
Polyurethane foam	2	101–115
Precarious employment	6	521–527
Prediction model	6	550–553
Predictors	2	139–148
Pre-pregnancy body mass index	6	515–520
Printer	5	448–459
Professional drivers	3	246–253
Prospective studies	2	131–138
Prospective study	3	230–236
Psychological detachment	3	282–292
Psychological distress	1	5–13
Psychological distress	5	389–395
Psychological stress	2	131–138
Psychological stress	6	480–487
Psychological stress response	3	194–203
Psychomotor-vigilance test (PVT)	4	296–307
Psychophysics	6	550–553
Psychosocial factor	3	237–245
Psychosocial factor	6	498–504
Psychosocial factors	3	230–236
Psychosocial stress	3	204–214
Q		
Quality management system	4	324–336
Quality of life	4	347–353
R		
Randomized controlled trial	3	263–271
Recovery	3	254–262
Recurrence	6	564–572
Regular work	6	521–527
Relatedness	2	123–130
Remaining teeth	3	246–253
Resilience	5	389–395
Respirable dust	4	315–323
Respirators	5	403–409
Respiratory health	5	448–459
Respiratory protective device	2	177–182
Return to work	6	564–572
Rice mill	4	315–323
Ride comfort	4	296–307
Risk assessment	4	354–360
Risk factors	3	230–236
Risk management	3	204–214
Role problem	5	396–402
S		
Salivary testosterone	3	194–203

	No.	Page		No.	Page
Self-awakening	6	528–541	Trip	4	354–360
Self-esteem	5	460–468	Tuberculosis	2	177–182
Self-reported sleepiness	4	337–346	U		
Shear fatigue	4	308–314	Ultraviolet radiation	2	149–156
Shift work	2	157–162	Uncoated fiber	4	370–376
Shift work	6	528–541	Unemployment	1	20–31
Shift work tolerance	2	123–130	Unemployment	1	68–73
Shoulder	1	58–67	Urine	1	79–86
Sick leave	6	564–572	UTCI index	1	14–19
Sickness absence	1	68–73	V		
Silicosis	4	361–369	Vaccination	6	554–563
Singleton full-term infants	6	515–520	Variability	2	163–176
Sleep	1	50–57	Visual disturbance	2	101–115
Sleep disturbance	1	50–57	Vitamins	3	215–223
Sleep inertia	6	528–541	Voluntary Counselling and Testing (VCT)	2	116–122
Sleep-disordered breathing (SDB)	5	469–475	W		
Sleepiness	4	296–307	WBGT index	1	14–19
Sleeping time	5	460–468	Welding and smelting processes	1	79–86
Slip	4	354–360	Well-being	3	237–245
Small-medium enterprises	1	74–78	Women scientist	6	480–487
Social capital	6	488–497	Work analysis	2	157–162
Social constructionism	1	20–31	Work disability	1	68–73
Social determinants of health	6	521–527	Work engagement	3	282–292
Social exclusion	1	20–31	Work engagement.	3	254–262
Social support	1	32–41	Work environments	1	74–78
Social support	6	488–497	Workers	6	505–514
Socio-economic status	6	488–497	Work-family conflict	1	50–57
Spine	4	308–314	Work-home interface stress	2	139–148
Spondylolisthesis	4	308–314	Working hours	4	337–346
Spondylolysis	4	308–314	Working hours	5	410–420
STF	4	354–360	Working women	1	5–13
Stress	4	337–346	Working-age population	2	116–122
Structural equation modeling	3	282–292	Work-life balance	6	521–527
Subordinates	3	263–271	Workload	2	163–176
Suicidal ideation	5	410–420	Workload	3	204–214
Suture needle	3	224–229	Workplace	2	131–138
Sweat micronutrient losses	3	215–223	Workplace	3	263–271
Symptoms of anxiety	5	421–432	Workplace	6	498–504
T			Workplace bullying	1	68–73
Taxi driver	5	433–438	Workplace bullying	5	421–432
Teacher	5	396–402	Workplace stress	4	347–353
Tetanus	6	554–563	Work-related musculoskeletal disorders	4	347–353
Tetanus toxoid	6	554–563	Work-related stress	1	5–13
Thailand	5	433–438	Work-related stress	1	20–31
Toenail	1	79–86	Y		
Toner dust	5	448–459	Young adult	1	20–31
Treatment refusal	6	554–563			